

Literatuur

Doping - een beetje vergif stimuleert

- Adler, L.S., 2001. The ecological significance of toxic nectar. *Oikos* 91:409-420.
- Belzunces, L.P., Tchamitchian, S. en Brunet, J.-L., 2012. Neural effects of insecticides in the honey bee. *Apidologie* 43:348-370.
- Chittka, L. en Peng, F., 2013. Caffeine boosts bees' memories. *Science* 339:1157-1159.
- Couvillon, M.J., Al Toufaily, H., Butterfield, T.M., Schrell, F., Ratnieks, F.L.W., Schürch, R., 2015. Caffeinated forage tricks honeybees into increasing foraging and recruitment Behaviors. *Current Biology* 25(21):2815-2818.
- Cutler, G.C., Rix, R.R., 2015. Can poisons stimulate bees? Appreciating the potential of hormesis in bee-pesticide research. *Pest Management Science* 71(10):1368-1370.
- Dicks, L., 2013. Bees, lies and evidence-based policy. *Nature* 494(7437):283.
- Eiri, D.M. en Nieh, J.C., 2012. A nicotinic acetylcholine receptor agonist affects honey bee sucrose responsiveness and decreases waggle dancing. *The Journal of Experimental Biology* 215:2022-2029.
- El Hassani, A.K., Dacher, M., Gary, V., Lambin, M., Gauthier, M. en Armengaud, C., 2008. Effects of sublethal doses of acetamiprid and thiamethoxam on the behavior of the honeybee (*Apis mellifera*). *Archives of Environmental Contamination and Toxicology* 54:653-661.
- Faucon, J.-P., Aurières, C., Drajnudel, P., Mathieu, L., Ribière, M., Martel, A.-C., Zeggane, S., Chauzat, M.-P. en Aubert, M.F.A., 2005. Experimental study on the toxicity of imidacloprid given in syrup to honey bee (*Apis mellifera*) colonies. *Pest Management Science* 61:111-125.
- Kessler, S.C., Tiedeken, E.J., Simcock, K.L., Derveau, S., Mitchell, J., Softley, S., Stout, J.C. en Wright, G., 2015. Bees prefer foods containing neonicotinoid pesticides. *Nature* 521(7550):74-76.
- Pirk, C.W.W. en Nicolson, S.W., 2012. Honeybees and nectar nicotine: Deterrence and reduced survival versus potential health benefits. *Journal of Insect Physiology* 58:286-292.
- Lambin, M., Armengaud, C., Raymond, S. en Gauthier, M., 2001. Imidacloprid-induced facilitation of the proboscis extension reflex habituation in the honeybee. *Archives of Insect Biochemistry and Physiology* 48:129-134.
- Robertson, H.M. en Wanner, K.W., 2006. The chemoreceptor superfamily in the honey bee, *Apis mellifera*: Expansion of the odorant, but not gustatory, receptor family. *Genome Research* 16:1395-1403.
- Singaravelan, N., Inbar, M., Nee'man, G., Distl, M., Wink, M. en Izhaki, I., 2006. The effects of nectar-nicotine on colony fitness of caged honeybees. *Journal of Chemical Ecology* 32(1):49-59.
- Singaravelan, N., Nee'man, G., Inbar, M. en Izhaki, I., 2005. Feeding responses of free-flying honeybees to secondary compounds mimicking floral nectars. *Journal of Chemical Ecology* 31(12):2791-2804.
- Thany, S.H. en Gauthier, M., 2005. Nicotine injected into the antennal lobes induces a rapid modulation of sucrose threshold and improves short-term memory in the honeybee *Apis mellifera*. *Brain Research* 1039(1-2):216-219.
- Tomizawa, M. en Casida, J.E., 2005. Neonicotinoid insecticide toxicology: mechanisms of selective action. *Annual Review of Pharmacology and Toxicology* 45:247-68.
- Tomizawa, M. en Casida, J.E., 2011. Unique neonicotinoid binding conformations conferring selective receptor interactions. *Journal of Agricultural Food Chemistry* 59(7):2825-2828.
- Williamson, S.M., Baker, D.D. en Wright, G.A., 2013. Acute exposure to a sublethal dose of imidacloprid and coumaphos enhances olfactory learning

and memory in the honeybee *Apis mellifera*. *Invertebrate Neuroscience*
13(1):63-70.

Wright, G.A., Baker, D.D., Palmer, M.J., Stabler, D., Mustard, J.A., Power,
E.F., Borland, A.M. en Stevenson, P.C., 2013. Caffeine in floral nectar
enhances a pollinator's memory of reward. *Science* 339:1202-1204.