

Referenties:

- Amdam, G.V., Norberg, K., Omholt, S.W., Kryger, P., Lourenco, A.P., Bitondi, M.M.G. en Simoes, Z.L.P., 2005. Higher vitellogenin concentrations in honey bee workers may be an adaptation to life in temperate climates. *Insectes Sociaux* 52:316-319.
- Bowen-Walker, P.L. en Gunn, A., 2001. The effect of the ectoparasitic mite, *Varroa destructor* on adult worker honeybee (*Apis mellifera*) emergence weights, water, protein, carbohydrate, and lipid levels. *Entomologia Experimentalis et Applicata* 101:207-217.
- Dooremalen, C. van, Gerritsen, L., Cornelissen, B., Steen, J.J.M. van der, Langevelde, F. van en Blacquiere, T., 2012. Winter survival of individual honey bees and honey bee colonies depends on level of *Varroa destructor* infestation. *PLoS ONE* 7(4):e36285.
- Elzenga, T., 2010. De temperatuurregeling van onze bijen. *Bijenhouden* 4(3):12-13.
- Liebig, G., 2007. Wassermangel - ein Überwinterungsproblem? *Deutsches Bienen-Journal* 15(1):15.
- Liebig, G., 2014. Brüten im Winter. *Deutsches Bienen-Journal* 22(12):14-15.
- Mordecai, G.J., Brettell, L.E., Martin, S.J., Dixon, D., Jones, I.M. en Schroeder, D.C., 2016. Superinfection exclusion and the long-term survival of honey bees in *Varroa*-infested colonies. *ISME Journal* 10 (5):1182-1191.
- Seeley, T.D. en Visscher, P.K., 1985. Survival of honeybees in cold climates: the critical timing of colony growth and reproduction. *Ecological Entomology* 10:81-88.
- Steen, S. van der, 2009. Vitellogenine en *Varroa destructor*. *Nieuwsbrief van Bijen@wur* - editie 12, juli 2009
- Steen, J. van der, 2015. Wintervoer; High Fructose Corn Syrup (HFCS) en Hydroxymethylfurfural (HMF). *Bijenhouden* 9(5):7-9.